FRAGOL

Revision: 2021-02-09

according to Regulation (EC) No. 1907/2006 (REACH)

## FRAGOL GEAR WCE 460 FG

Version number: 5.0 Replaces version of: 2020-03-02 (4)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

FOR THIS PRODUCT IT IS NOT LEGALLY REQUIRED TO PROVIDE AN SDS UNDER ARTICLE 31 OF THE REACH REGULATION, BECAUSE THE PRODUCT IS NOT CLASSIFIED AS HAZARDOUS. THIS DOCUMENT IS PREPARED AS A VOLUNTARY AND ADDITIONAL SERVICE TO PROVIDE GENERAL SAFETY INFORMATION. IT IS AVAILABLE IN GERMAN AND ENGLISH

### 1.1 Product identifier

Trade name Registration number (REACH)

## FRAGOL GEAR WCE 460 FG

not relevant (mixture)

lubes@fragol.de

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Professional use Industrial use Do not use for private purposes (household)

## 1.3 Details of the supplier of the safety data sheet

FRAGOL AG Solinger Straße 16 D-45481 Mülheim Germany

Uses advised against

Telephone: +49 (0)208-300 02-40 Telefax: +49 (0)208-300 02-77 e-mail: lubes@fragol.de Website: www.fragol.de

e-mail (competent person)

## 1.4 Emergency telephone number

Emergency information service

+49 (0) 208-300 02-40 This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP) This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

### Additional information

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP) Not required.

## 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

FRAGOL

according to Regulation (EC) No. 1907/2006 (REACH)

## FRAGOL GEAR WCE 460 FG

Version number: 5.0 Replaces version of: 2020-03-02 (4) Revision: 2021-02-09

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

The product does not contain any other ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

This product does not meet the criteria for classification in any hazard class according to GHS.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

### Following skin contact

Take off contaminated clothing. After contact with skin, wash immediately with plenty of water and soap.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Following ingestion

4.2

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.

### Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, Dry extinguishing powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet.

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

FRAGOL

according to Regulation (EC) No. 1907/2006 (REACH)

## FRAGOL GEAR WCE 460 FG

Version number: 5.0 Replaces version of: 2020-03-02 (4)

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Wear suitable protective clothing and gloves.

## 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Keep away from sources of ignition - No smoking. Use only in well-ventilated areas. Take precautionary measures against static discharge.

### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- flammability hazards

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge.

- incompatible substances or mixtures

Keep away from oxidizing substances. Keep away from reducing substances.

## Control of effects

Protect against external exposure, such as

Heat. High temperatures. UV-radiation/sunlight. Static discharges.

### Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

Revision: 2021-02-09



according to Regulation (EC) No. 1907/2006 (REACH)

## FRAGOL GEAR WCE 460 FG

Version number: 5.0 Replaces version of: 2020-03-02 (4) Revision: 2021-02-09

## packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

## 7.3 Specific end use(s)

There is no additional information.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## National limit values

Occupational exposure limit values (Workplace Exposure Limits)									
Cou ntry	Name of agent	CAS No	ldenti- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Nota- tion	Source
DE	white mineral oil (petro- leum)	8042-47-5	MAK		5		20	r	DFG
DE	white mineral oil (petro- leum)	8042-47-5	AGW		5		20	r, Y	TRGS 900

Notation

r respirable fraction
STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)
Y a risk of developmental toxicity does not need to be expected if the occupational exposure limit value and the biological limit value (BGW) are adhered to

## **Relevant DNELs/DMELs/PNECs and other threshold levels**

No data available.

## 8.2 Exposure controls

### Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

### Eye/face protection

Use safety goggle with side protection (EN 166).

Skin protection

Protective clothing (EN 340 & EN ISO 13688).

### - hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. ATTENTION: Wearing moisture-proof gloves (occlusion) for longer than 4 hours is defined as a risk in Germany.

## - breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Breathing apparatus only in case of aerosol or mist formation.



according to Regulation (EC) No. 1907/2006 (REACH)

## FRAGOL GEAR WCE 460 FG

Version number: 5.0 Replaces version of: 2020-03-02 (4)

Revision: 2021-02-09

## Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	liquid (viscous)
Colour	light yellow
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	not relevant (fluid)
Lower and upper explosion limit	LEL: UEL: not determined
Flash point	264 °C (ASTM D 93)
Auto-ignition temperature	not determined
Decomposition temperature	no data available
pH (value)	not determined
Kinematic viscosity	455 <sup>mm²</sup> / <sub>s</sub> at 40 °C (ASTM D 445)
Solubility(ies)	

Water solubility	insoluble
------------------	-----------

Partition coefficient n-octanol/water (log value)	this information is not available

Vapour pressure	not determined

Density	0,881 <sup>g</sup> / <sub>cm³</sub> at 15,6 °C (ASTM D 1298)
---------	--

Particle characteristics	not relevant (liquid)	

## 9.2 Other information



Revision: 2021-02-09

according to Regulation (EC) No. 1907/2006 (REACH)

## FRAGOL GEAR WCE 460 FG

Version number: 5.0 Replaces version of: 2020-03-02 (4)

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

This material is not reactive under normal ambient conditions.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

## Oxidisers. Acids.

## 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5 Incompatible materials

Oxidisers. Reducing agents.

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## Classification according to GHS (1272/2008/EC, CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).



according to Regulation (EC) No. 1907/2006 (REACH)

## FRAGOL GEAR WCE 460 FG

Version number: 5.0 Replaces version of: 2020-03-02 (4) Revision: 2021-02-09

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

## Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

## 12.2 Persistence and degradability

Data are not available.

## 12.3 Bioaccumulative potential

The bioaccumulation potential is low.

12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

## Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself.

## Relevant provisions relating to waste

List of wastes, Decision 2000/532/EC on the list of waste

Waste catalogue ordinance (Germany)

- product

13 02 05\* mineral-based non-chlorinated engine, gear and lubricating oils

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



according to Regulation (EC) No. 1907/2006 (REACH)

## FRAGOL GEAR WCE 460 FG

	number: 5.0 es version of: 2020-03-02 (4)	Revision: 2021-02-09
SEC	TION 14: Transport information	
14.1	UN number or ID number	not assigned
14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es)	not assigned
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regu- lations

## 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

## Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information

not assigned

## International Maritime Dangerous Goods Code (IMDG) - additional information

Not subject to IMDG.

## International Civil Aviation Organization (ICAO-IATA/DGR) - additional information Not subject to ICAO-IATA.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulations (Germany)

# Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK 1 slightly hazardous to water (water hazard class)

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Alignment to regulation.

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
AGW	Workplace exposure limit
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)



according to Regulation (EC) No. 1907/2006 (REACH)

## FRAGOL GEAR WCE 460 FG

Version number: 5.0 Replaces version of: 2020-03-02 (4) Revision: 2021-02-09

Abbr.	Descriptions of used abbreviations
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DFG	Deutsche Forschungsgemeinschaft MAK-und BAT-Werte-Liste, Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH, Weinheim
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LEL	Lower explosion limit (LEL)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TRGS 900	Arbeitsplatzgrenzwerte (TRGS 900)
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. FRAGOL cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.